

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Section 1 - Identification

Product Identifier:	Pic-Fume Chloropicrin	SDS No.:	100-NZL-TNZ
Other Means of Identification:	Chloropicrin; Trichloronitromethane		
Recommended Use:	As a pre-plant soil fumigant for agricultural purposes		
Restrictions on Use:	Use of this product requires supervision by a Certified Handler for pesticide fumigation. Read all labels carefully before using product.		
Distributor:	Trical NZ Ltd 6 Waitane Place, Onekawa, Napier 4110 Telephone: 0800 658 158		
Emergency Phone No.:	For 24/7 advice for spill, leak, fire, exposure, or accident call CHEMTREC at: 0800 425 459 or +64 9 801 0034 (Auckland) and provide CCN 1020473 Back-up Emergency Number: +1-703-527-3887 (United States, answered in English, request other languages)		
Company Emergency No.:	Trical NZ Ltd:	0800 658 158	(24/7)
	National Poisons Centre:	0800 764 766	(24/7)

NOTE: If the end-use labelling contains specific instructions or requirements that conflict with this safety data sheet (SDS), **follow the instructions or requirements on the labelling.**

Section 2 - Hazard Identification

Product is classified as hazardous according to the Hazardous Substances (Classification) Notice 2017 of the HSNO Act, 1996.

HSNO Approval: HSR001641

HAZARD CLASSIFICATION OF THE CHEMICAL MIXTURE

Acute Toxicity Oral	Category 2
Acute Toxicity Dermal	Category 2
Acute Toxicity Inhalation	Category 1
Skin Corrosion	Category 1C
Serious Eye Damage	Category 1
Respiratory Sensitisation	Category 1
Skin Sensitisation	Category 1
Specific Target Organ Toxicity - Repeated Exposure	Category 1
Aspiration Hazard	Category 1
Hazardous to the Aquatic Environment Short Term (Acute) Hazard	Category 1
Hazardous to Soil Organisms	Category 1
Hazardous to Terrestrial Vertebrates	Category 1

LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS



Toxicity



Corrosion



Health Hazard



Environmental

Signal Word: DANGER

SAFETY DATA SHEET

Pic-Fume Chloropicrin

HAZARD STATEMENTS

H300: Fatal if swallowed.
H310: Fatal in contact with skin.
H330: Fatal if inhaled.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317: May cause an allergic skin reaction.
H372: Causes damage to respiratory system, hemal system, and liver through prolonged or repeated exposure.
H304: May be fatal if swallowed and enters the airways.
H400: Very toxic to aquatic life.
H422: Toxic to the soil environment.
H431: Very toxic to terrestrial vertebrates.

PRECAUTIONARY STATEMENTS

PREVENTION

P102: Keep out of reach of children.
P203: Obtain, read and follow all safety instructions before use.
P260: Do not breathe gas or vapours.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash hands and face thoroughly after handling.
P271: Use only outdoors or with adequate ventilation.
P280: Wear protective gloves, protective clothing, and eye protection. [See Section 8 of SDS.]
P284: In case of inadequate ventilation, wear respiratory protection.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment. (except for authorized use)

RESPONSE

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Get emergency medical help immediately. P304+P340+P316
IF IN EYES: Immediately rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately. P305+P354+P338+P316
IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Get emergency medical help immediately. Wash contaminated clothing before reuse. P302+P361+P364+P354+P316+P363
IF SWALLOWED: Get emergency medical help immediately. [Dab material from mouth with dry cloth first, if possible.] Rinse mouth. Do NOT induce vomiting. P301+P316+P330+P331
IF exposed or concerned, or if experiencing respiratory symptoms: Get emergency medical help immediately. P308+P342+P316
If skin irritation or rash occurs: Get medical help. P333+P317
Get medical help if you feel unwell. P319

STORAGE

P403+P233+ P405: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

DISPOSAL

P391: Collect spillage.
P501: Dispose of contents and container in accordance with government regulations.

Additional Precautionary Statements When Product is Packaged in a Cylinder

Keep away from heat, sparks, open flames, and other ignition sources. No smoking.
Stop leak if safe to do so.
Store away from combustible materials.
In case of fire: Evacuate area. Fight fire remotely due to the risk of cylinder rupture.
Note: Closed cylinders may rupture or burst if heated by fire (see Section 5).

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Section 3 - Composition and Information on Ingredients

Ingredients*	Synonyms	CAS Number	% By Weight
Chloropicrin	Trichloronitromethane	76-06-2	≥ 99.0
Balance			≤ 1.0

* Product label will reflect nominal active ingredient percentages.

Section 4 - First-aid Measures

Description of Necessary First Aid Measures:

Inhalation: If inhalation occurs, call the National Poisons Centre. Urgent hospital treatment is likely to be needed. Remove source of contamination or move victim to fresh air. Keep at rest in a position comfortable for breathing. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. If breathing has stopped, trained personnel should immediately begin artificial respiration or, if the heart has stopped, cardiopulmonary resuscitation (CPR).

Skin Contact: Seek urgent medical attention. Flush contaminated area with lukewarm, gently flowing water for at least 15 to 20 minutes. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Under running water, remove contaminated clothing, shoes and leather goods (e.g., watchbands, belts). Chemical burns must be treated by a doctor.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least 15 to 20 minutes, while holding the eyelid(s) open. Remove contact lens(es), if present and easy to do. Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Take care not to rinse contaminated water into the unaffected eye or onto face. Call the National Poisons Centre or a doctor urgently.

Ingestion: If swallowed, do NOT induce vomiting; rinse mouth thoroughly with water. Urgent hospital treatment is likely to be needed. Call the National Poisons Centre or a doctor at once. Give activated charcoal if instructed. Never give an unconscious person anything to drink.

Most Important Symptoms and Effects, Acute and Delayed, from Exposure: Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include eyes stinging, tearing, redness, swelling, and blurred vision. Causes respiratory distress and irritation. Early symptoms may include throat and nose irritation, nausea or vomiting. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

Medical Attention and Special Treatment: Material, if aspirated into the lungs, may cause rapid absorption through the lungs which may result in systemic effects. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately. In case of ingestion, the decision of whether or not to induce vomiting should be made by the attending physician. Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Note to Physician: Chloropicrin is a powerful lachrymator with no specific antidote. If lavage is performed, endotracheal and/or esophageal control is suggested. Danger from lung toxicity must be weighed against toxicity when considering emptying the stomach.

General Information: Take off immediately all contaminated clothing. Aerate contaminated clothing in a secure area downwind and away from people. If exposed or concerned: Get medical help. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Discard any shoes or clothing items that cannot be decontaminated, after aerating. You should call the **National Poisons Centre** if you feel that you may have been poisoned, burned or irritated by this product. The number is **0800 764 766 (24 hours)**. Have this SDS with you when you call.

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Section 5 – Fire-Fighting Measures

Suitable Extinguishing Equipment: All conventional fire extinguishing media are suitable: water spray, dry chemical, carbon dioxide, alcohol-resistant foam. Water fog or fine spray is the preferred media for large fires. Try to contain spills and minimise spillage entering drains or water courses.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical: The major hazard in fires involving this product is usually inhalation of heated and toxic and/or oxygen deficient fire gases. Fire combustion products from this product may produce corrosive, toxic, and /or irritating gases or vapours. Combustion products include: carbon monoxide, carbon dioxide, chlorine, hydrogen chloride, phosgene, nitrosyl chloride, nitrogen oxides.

For products packaged in cylinders: Closed cylinders may rupture or burst if heated by fire. Cylinders are not equipped with relief valves or fusible overpressure devices per transport regulations.

Special Protective Equipment: Wear positive-pressure self-contained breathing apparatus and full turnout gear.

Precautions for Firefighters: Stay upwind. DO NOT approach containers suspected to be hot. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Evacuate area at least 150 metres (500 feet), initially. Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Avoid breathing vapours and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid low places and work upwind if possible. Ventilate closed spaces before entering them. Move leaking or damaged containers outdoors or to an isolated location, observing strict safety precautions. Local authorities should be advised if significant spillages cannot be contained. See Individual Protection Measures in Section 8 regarding New Zealand Standards relating to personal protective equipment. Suitable materials for protective clothing include nitrile, butyl rubber and neoprene. Eye/face protective equipment should comprise, as a minimum, protective glasses and, preferably, goggles. If there is a chance that vapours or mists are present in the area, use a respirator. For large spills, wear full protective chemical-resistant clothing including eye/face protection, gauntlets and self-contained breathing apparatus. Consult the New Zealand Standard mentioned below (Section 8) to determine the type of respirator to wear. Do not permit entry into the spill or leak area by any person not wearing proper PPE until chloropicrin is measured to be 0.15 ppm or less. After clean-up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.

Environmental Precautions: Avoid release to the environment. In the event of a major spill, prevent spillage from entering drains or water courses, basements, or confined areas. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. Contact local authorities, in case of spillage into drain or aquatic environment. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal.

Methods and Materials for Containment and Cleaning Up: Stop leak if safe to do so, and contain spill. Because of the toxicity and corrosiveness of this product, special personal care should be taken in any clean-up operation. Dike the spilled material where possible with sand, earth, or vermiculite.

For small spills - Isolate immediate area at least 30 m (100 ft), initially. Wipe up with absorbent material (e.g., cloth, fleece, sand, vermiculite or other non-combustible material). Collect contaminated spillage material into a labelled polyethylene or steel container that can be sealed. Thoroughly clean surface with an absorbent material (e.g. cloth, fleece) to remove residual contamination.

For large spills (>35 litres) - Isolate at least 150 m (500 ft) in all directions, initially. If spill is too large or if absorbent material is not available, create a dike to stop material spreading or going into drains or waterways, if this is without risk. If available, cover diked area with plastic sheeting or use water spray to reduce vapours or divert vapour cloud drift. Use a non-combustible material like vermiculite, clay, sand or earth to soak up the product and shovel into labelled containers for later disposal. Prevent entry into waterways, sewer, basements or confined areas.

After spill clean-up - Following product recovery, flush area with water, preventing runoff from entering drains. Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS.

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Section 7 - Handling and Storage

This product is a highly hazardous material and must be handled with care only by those individuals experienced with its proper use. IF THIS PRODUCT IS BEING USED IN THE FIELD, AND THE INFORMATION IN THIS SDS DIFFERS FROM THAT ON THE END USE LABELING FOR THIS PRODUCT, THE HANDLER MUST FOLLOW THE PRECAUTIONARY STATEMENTS ON THE END USE LABELING.

Precautions for Safe Handling: Certified Handler and CSL required. Do not handle until all safety precautions have been read and understood. Comply with HSNO and WorkSafe controls. Do not handle, store or open near an open flame, sources of heat or sources of ignition. No smoking. Keep container tightly closed.

Do not bump or drag containers or subject them to other rough handling. Use a suitable hand truck or forklift to move heavier containers. Do not heat container by any means to increase the discharge rate of product from the container. Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace.

For cylinders, do not use hooks, rope sling, etc., to unload. Use hand or fork trucks to firmly cradle cylinders. Use only dry nitrogen gas (180 psig maximum) to pressurise cylinders and tanks. Polyethylene or Teflon tubing may be used to transfer product at low pressures.

Do not use containers or application equipment made of magnesium, aluminum, zinc or cadmium. Avoid contact with strong bases.

Do not breathe vapour. Do not get this material in contact with eyes or skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Protect from inadvertent release to the environment. Do not empty into drains.

Conditions for Safe Storage, Including Incompatibilities: Observe all relevant regulations regarding sale, transport and storage of this poison. Store cylinders (and other containers) upright with valves closed and secure the take-off fitting cap and valve bonnet. Store locked up, in a cool, well-ventilated area, out of direct sunlight. Do not store with flammable or combustible liquids, or with oxidisers or combustible solid materials. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination. Store away from seeds, foods/feed-stuffs and human and animal habitation. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check the packaging - there may be further storage instructions on the label. Store at temperatures not exceeding 55 °C (131 °F). Containers should never be refilled by the consumer or used for any other product or purpose.

Section 8 - Exposure Controls and Personal Protection

OCCUPATIONAL EXPOSURE LIMITS

Component	Type of Limit	ppm	mg/m3	Other
Chloropicrin	WES - TWA*	0.1	0.67	
Chloropicrin	IDLH**	2.0		

* Workplace Exposure Standard Time Weighted Averages (WES-TWA) are derived on an eight-hour work day and 40-hour work week. When shifts are longer than this, either over a day or a week, the WES-TWA needs to be adjusted to account for the longer period of exposure and shorter recovery time.

** IDLH - Immediately Dangerous to Life and Health

Biological Monitoring: No biological exposure limits noted for Chloropicrin or its metabolites).

Control Banding: Not assigned.

Engineering Controls: No special ventilation requirements are normally necessary for this product during its intended use outdoors as an agricultural soil fumigant. However, in the event the product is handled indoors, such as in a lab environment, make sure that the work environment remains clean and that vapours and mists are minimised. Good general ventilation (typically 10 air changes per hour) should be used. If applicable, use explosion-proof general and local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Eyebaths or eyewash stations and safety deluge showers or water flushing facilities should, if practical, be provided near to where this product is being handled commercially.

INDIVIDUAL PROTECTION MEASURES

The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Eye Protection: Your eyes must be completely protected from this product by splash resistant goggles with face shield. All surrounding skin areas must be covered. Emergency eye wash facilities must also be available in an area close to where this product is being used.

Skin Protection: Avoid contact with the skin. Because of the dangerous nature of this product, make sure that all skin areas are completely covered by impermeable gloves, overalls, hair covering, apron and face shield. See below for suitable material types.

Protective Material Types: It is recommended that chemical protective gloves be made from the following materials: nitrile, butyl rubber, neoprene. Chemical protective clothing may include Tyvek®, Saranex®, and/or Tychem®.

Respirator: If sensory irritation (tearing, burning of the eyes or nose) is experienced or if there is a significant chance that vapours or mists are likely to build up in the area where this product is being used, use a full-facepiece air-purifying respirator. It should be fitted with a type A cartridge, suitable for organic vapours.

For emergency or planned entry into unknown concentrations or Immediately Dangerous to Life (IDLH) conditions (chloropicrin measured in air at 2 ppm or greater): Any self-contained breathing apparatus that has a full-facepiece and is operated in a pressure-demand or other positive-pressure mode.

General Hygiene Considerations: Pesticide handlers and applicators must follow the end-use pesticide label instructions for each of the task situations that require personal protective equipment.

When using, do not eat, drink or smoke. Do not get this material on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Relevant New Zealand Standards: The following New Zealand Standards will provide general advice regarding safety clothing and personal protective equipment (PPE):

Respiratory equipment: AS/NZS 1715/1716. Protective Gloves: AS/NZS 2161. Occupational Protective Clothing: AS/NZS 4501 2008. Industrial Eye Protection: AS/NZS 1336 and AS/NZS 1337. Occupational Protective Footwear: AS/NZS 2210.

Measurement: Air concentration can be measured with a direct reading detection device, such as a Sensidyne or Kitigawa pump, using its chloropicrin detector tube. (#172S is tube number for Sensidyne).

Section 9 - Physical and Chemical Properties

Appearance:	Transparent liquid with a faint or slight yellow tint.
Odour:	Strong, sharp, irritating (pungent). Chloropicrin is readily identifiable by smell.
Odour Threshold:	700 ppb in 2-5 seconds
pH:	Not applicable.
Melting Point/Freezing Point:	-69.2 °C (-92.56 °F)
Boiling Point:	112 °C (233.6 °F) (100.925kPa, 757 mm Hg)
Boiling Range:	No data available.
Flash point:	> 100 °C (212 °F), (Pensky-Martens Closed Cup)
Flammability:	Not flammable.
Upper Flammability/Explosive Limit:	Not applicable.
Lower Flammability/Explosive Limit:	Not applicable.
Vapour Pressure:	2.4398 kPa @ 20 °C (68 °F); 18.3 mmHg @ 20 °C (68 °F)

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Vapour Density:	5.7 (Air = 1)
Relative Density (specific gravity):	1.6580 @ 20 °C, H ₂ O = 1
Density:	1.6550 g/mL
Solubility:	Slightly in water. 0.16 grams/100 ml (0.016%) in water, 1.6 g/L Soluble in acetonitrile, hydrocarbon solvents.
Volatility:	100%
Partition Coefficient: n-octanol/water:	2.38 log Kow
Autoignition Temperature:	No ignition occurred when tested up to 402 °C (755 °F).
Decomposition Temperature:	127 °C (261 °F)
Viscosity (kinematic):	0.600 mm ² /s @ 40 °C
Particle Characteristics:	Not applicable to liquid product.
Evaporation Rate:	Fast.
Heat of Combustion:	-1.61 kJ/g (estimated)
Saturated Vapour Concentration	23,684 ppm at 20 °C
Molecular Weight:	164.376 g/mol

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal conditions of use, storage, or transport. However, if you have any doubts, contact the supplier for advice on shelf-life properties.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous Reactions: Polymerisation reactions are unlikely; they are not expected to occur. If heated under confinement, may develop accelerated decomposition. Cylinders containing chloropicrin can rupture or burst when subjected to fire.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Keep away from sources of sparks or ignition. Keep isolated from combustible materials. Contamination with water can lead to the generation of corrosive constituents over time. Avoid temperatures above 60 °C (140 °F) to minimize risk of accelerated decomposition.

Incompatible Materials: Acids, bases, strong oxidising agents, amines, copper, aluminium, zinc, cadmium, magnesium and their alloys. Chloropicrin degrades PVC, dissolves rubber compounds and fiberglass resin, and is mildly corrosive to carbon steel in presence of moisture.

Hazardous Decomposition Products: Hazardous products may be produced due to the decomposition of the chemical during use, storage or heating. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen chloride gas, other compounds of chlorine. Phosgene, nitrosyl chloride may be generated.

Section 11 - Toxicological Information

Acute Toxicity: Classified. Product can be fatal if swallowed, in contact with skin, or if inhaled. Prolonged or widespread skin contact may result in absorption of toxic amounts.

Component	Route of Entry	Animal	Test Results
Chloropicrin (CAS 76-06-2)			
Acute	Oral, LD ₅₀	Rat	37.5 mg/kg
Acute	Dermal, LD ₅₀	Rat	926 mg/kg
Acute	Inhalation, LC ₅₀	Rat	18.9 ppm, 4 hours, (0.127 mg/L) For both sexes with 95% confidence limits of 16.5 to 21.6 ppm (110.6-144.7 mg/m ³)

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Skin Corrosion/Irritation: Classified. Contact with liquid can cause skin irritation, redness, and/or severe skin burns.

Serious Eye Damage/Irritation: Classified. Exposure to vapour concentrations from 73-150 ppb can produce mild eye irritation or tearing but stops following termination of exposure. Exposure to higher concentrations will produce an increase in severity and earlier onset of irritation and tearing. Vision may be temporarily impaired. Direct contact with liquid chloropicrin can cause burns to the eyes and produce permanent damage.

Respiratory Sensitisation: Classified (per New Zealand CCID).

Skin Sensitisation: Classified.

Product Testing - Produced mild skin sensitization in albino guinea pigs (Buehler Method - OECD Guideline 406)

Germ Cell Mutagenicity: Not classified.

In vitro studies of mammalian cell chromosomes for damage (breaks, exchange figures, fragments, etc.) produced evidence suggestive of a clastogenic effect but were mixed with contradictory results on genetic toxicity and mutation. In vivo studies are negative for mutation, DNA damage and chromosome damage.

Carcinogenicity: Not classified.

Six long-term bioassays have been performed to evaluate the potential of chloropicrin to cause carcinogenic effects by inhalation, oral, and gavage dosing. No neoplastic or tumorigenic response was produced in any species tested by the three routes of exposure.

International Agency for Research on Cancer (IARC) Monographs. Overall Evaluation of Carcinogenicity

Chloropicrin is not listed.

National Toxicology Program (NTP) Report on Carcinogens (15th Report)

Chloropicrin is not listed.

Reproductive Toxicity: Not classified.

Data indicate that reproduction fitness and the developing fetus are not adversely affected by chloropicrin inhalation even at systemically toxic levels.

- Inhalation exposure to chloropicrin by male and female rats in a 2-generation reproductive function study produced an NOAEL of 1.0 ppm for systemic toxicity and greater than 1.5 ppm for developmental toxicity and reproductive parameters.
- In a study with sexually mature virgin female Sprague-Dawley rats exposed by whole body inhalation to chloropicrin vapour for six hours per day for days 6-15 of gestation, there were no treatment-related fetal malformations.

Lactation: Not classified. No end point data for Chloropicrin. Not expected to cause harm to breast-fed children.

Specific Target Organ Toxicity (STOT)—Single Exposure: Not classified.

Specific Target Organ Toxicity (STOT)—Repeated Exposure: Classified.

Subchronic inhalations studies in mice and rats established that respiratory tissue is the target for chloropicrin inhalation toxicity and that tissue of the entire respiratory tract is subject to inflammatory damage. Portal-of-entry effects occur in the upper respiratory tissue of animals inhaling chloropicrin vapour for 90 days at concentrations at or above 0.1 ppm (0.67 mg/m³).

Aspiration Hazard: Classified.

Information on Possible Routes of Exposure:

- Eyes (mainly due to vapours in air)
- Respiratory Tract (by inhalation of vapours)
- Skin (mainly by contact with liquid)

Early Onset of Symptoms Related to Exposure:

Vapour Contact:

- Eye irritation, stinging, tearing at low concentrations, blurred vision
- Throat irritation, coughing
- Dripping nasal mucous

SAFETY DATA SHEET

Pic-Fume Chloropicrin

- Nausea, vomiting, abdominal pain, headache
- Dizziness, drowsiness, unconsciousness
- Slurred speech, fatigue, staggered gait, loss of appetite
- Breathing difficulty, cyanosis (bluish looking skin/lips)
- Pulmonary oedema, and death due to pulmonary oedema

Liquid Contact:

- Skin blistering
- Skin, eye, and portal tissue burns

Delayed Health Effects from Exposure:

- Severe pulmonary responses can be delayed following onset of acute exposure.

Exposure Levels and Health Effects:

Inhalation (Chloropicrin)

73 ppb	Human sensory irritation threshold (eye irritation).
73 ppb to 150 ppb	Human response - mild irritant to eyes and throat.
> 150 ppb	Human response - headache, nausea, and vomiting may occur. Dripping nasal mucus may occur. These symptoms are temporary and reversible following termination of exposure.
> 300 ppb	Human response - respiratory symptoms may increase in severity and include difficulty in breathing.
> 580 ppb (8 hrs) or 2000 ppb (10 minutes)	Human response - life-threatening effects including pulmonary oedema can occur.

Ingestion (Chloropicrin)

Ingestion of liquid can cause burns to and produce permanent damage to the mouth, throat, esophagus, and stomach. Ingestion of large quantities can be fatal.

Interactive Effects:

No data available.

Section 12 - Ecological Information

Ecotoxicity:

Chloropicrin is expected to be highly toxic to aquatic life on an acute and chronic basis.

Aquatic Toxicity (Fish)	• LC₅₀ = 0.0048 mg/L, 96-hr, <i>Oncorhynchus mykiss</i> (rainbow trout), semi-static • LC₅₀ = 0.105 mg/L, 96-hr, <i>Lepomis macrochirus</i> (bluegill sunfish) • NOEC = 0.0025 mg/L, 90-day growth, <i>Oncorhynchus mykiss</i> (rainbow trout): ELS flow through
Toxicity (Aquatic Invertebrates)	• EC₅₀ = 0.15 mg/L, 48-hr, <i>Daphnia magna</i> (crustacean), acute, static • EC₅₀ = 6.4 µg/L, 96-hr, <i>Crassostrea cucullata</i> (eastern oyster) • NOEC = 0.00427 mg/L, 21-day, <i>Daphnia magna</i> (crustacean): static, reproduction
Toxicity (Algae/Aquatic Plants)	• ErC₅₀ = 0.00016 mg/L, 72-hr, <i>Selenastrum capricornutum</i> (algae), static, growth rate • EbC₅₀ = 0.00011 mg/L, 72-hr, <i>Selenastrum capricornutum</i> (algae), static, Biomass • ErC₅₀ = 0.0379 mg/L, 7-day, <i>Lemna minor</i> (higher plant), semi-static (Fronds EC₅₀)
Terrestrial Toxicity	• LD₅₀ = > 100 µg/L, 48-hr, Honeybee dermal • Acute avian inhalation NOEC = 96 ppb, 4 hours per day for 5 days

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Effects on Birds	Little information is available about the effects of chloropicrin on bird life. A feeding study in chickens demonstrated no adverse effects at doses as high as 100 ppm for 120 days. This was the highest dose tested.
Effects on Other Animals	When used according to label, exposure to nontarget species is unlikely. However, because of its toxicity to mammals and invertebrates, it can be assumed that chloropicrin may be harmful to many nontarget organisms.

Persistence and Degradability (Environmental Fate):

Biodegradability:

- Atmospheric half-life: 20 days (simulated sunlight). Chloropicrin is efficiently photolysed in the atmosphere. Initial photolysis products include phosgene and nitrosyl chloride and chlorine; subsequently nitrogen dioxide and dinitrogen tetroxide.
- Aquatic photolysis half-life: 1.3 days.
- Aerobic soil metabolism half-life: 4.5 to 10 days; major degradate is carbon dioxide, then nitrate and chloride.
- Soil half-life: 8-24 hours (sandy loam).
- Water half-life: 31.1 hours to 72 hours (surface layers). Readily volatilises and will photodegrade in surface layers of water with carbon dioxide, bicarbonate, chloride, nitrate and nitrite being the breakdown products.
- Evaporation half-life in water: 4.8 to 9.4 minutes (light); 4.1 to 5.7 minutes (dark)

Bioaccumulative Potential:

Partition coefficient, n-octanol ($\text{Log}_{10} K_{\text{OW}}$): 2.50 at 25 °C (77 °F), (low bioaccumulative potential = <5.0)

It would not be expected to bioaccumulate in mammalian cells or in aquatic organisms.

Mobility in Soil:

Moves rapidly in soils within 12 inches of injection but may diffuse to a maximum depth of four feet in sandy soil.

Other Adverse Effects:

Chloropicrin is not recognised as a threat to the ozone layer nor as a contributor to climate change.

Section 13 - Disposal Considerations

Disposal Methods:

The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. DO NOT contaminate water, food or feed by storage or disposal. DO NOT use empty containers to store any other material or to refill with pesticide. Observe all National and local environment regulations when disposing of this material.

Return all used containers to the Distributor for re-use, whether empty or not.

The recommended method for unavoidable product waste disposal is incineration.

Section 14 - Transport Information

In accordance with NZ5433:2020 Transport of Dangerous Goods on Land; Land Transport Rule: Dangerous Goods 2005, Rule 45001/2005 1 April 2021; Dangerous Goods Regulations of IATA; and IMDG Code criteria.

UN Number: 1580

Proper Shipping Name: Chloropicrin

Transport Hazard Class: Class 6.1 (Toxic)

Subsidiary Risk: none

Packing Group: I

Environmental Hazards for Transport Purposes: Yes, Marine Pollutant (Chloropicrin)

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Special Precautions for User: Packages must be secured against all movement during transport. Keep markings, labels or placards on package until cleaned and purged of residue including bulk and non-bulk packages. For cylinders, ensure valve is closed and safety cap(s) and valve protection are in place prior to transport.

Additional Information: This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorised sales or customer service representative. It is the responsibility of the transporting organisation to follow all applicable laws, regulations and rules relating to the transportation of the material.

Hazchem Code: 2XE [Hazard Identification Number (HIN) is 66]

Air Transport: Forbidden for any amount of this product.

Section 15 - Regulatory Information

This SDS prepared in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2017 (EPA Consolidation 30 September 2022) and the UN Purple Book 7th Edition [Globally Harmonised System of Classification and Labeling of Chemicals (GHS)].

NEW ZEALAND REGULATIONS:

Hazardous Substances and New Organisms (HSNO) Act 1996

Approval Code: HSR001641

Refer to www.epa.govt.nz / Approved hazardous substances with controls - Liquid containing 990 g/kg chloropicrin

Controls applying to HSR001641

Control codes: LAB, PKG, SDS, DIS, HPC1, HPC2, HPC3, HPC4A, HPC4B, HPC4C

For additional requirements, refer to Health and Safety at Work (HSW) at www.worksafe.govt.nz

Health and Safety at Work (Hazardous Substances) Regulations 2017 (HSW HS Regulations)

Applicable Regulation Parts: 1, 2, 3, 4, 5, 7, 13, 14, 16, 17, 19

Health and Safety at Work (Hazardous Substances-Requirements for Specified Fumigants) Safe Work Instrument 2017

Health and Safety at Work (Hazardous Substances-Requirements for Specified Fumigants) Amendment Safe Work Instrument (No 2) 2022

Health and Safety at Work Act 2015 (HSW Act)

- CERTIFIED HANDLER and TRACKING Controls apply
- Users require Controlled Substance License (CSL)
- Additional restrictions and requirements apply

Tolerable Exposure Limits (Regulation 77A)

Chloropicrin: TEL(air): 0.0004 mg/m³ (0.000059 ppm) (chronic exposure)

Environmental Exposure Limits

None set at this time

Agricultural Compounds and Veterinary Medicines Act 1997 (ACVM) Act 1997

Registration approval: P5321

Refer to www.foodsafety.govt.nz for Registration Conditions

SAFETY DATA SHEET

Pic-Fume Chloropicrin

INTERNATIONAL:

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chloropicrin not listed

Stockholm Convention on Persistent Organic Pollutants:

Chloropicrin not listed

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chloropicrin not listed in Annex III

Section 16 - Any Other Relevant Information

Current Version 6: Feb 02, 2026

Revision History:	25/08/2010	Initial version
	22/08/2013	Review format, product and regulatory information
	22/02/2019	Review format
	01/07/2019	Section 1: Correct HSNO approval number
	24/06/2024	Section 1: Change in company name and SDS review
	02/02/2026	Reformat SDS to meet GHS 7 th edition requirements

Date Format: dd/mm/yyyy

Next Review: Within 5 years of last date of issue

Acronyms:

ADG	Australia Dangerous Goods
CAS number	Chemical Abstracts Service Registry Number (CASRN)
CCID	Chemical Classification and Information Database (New Zealand)
CSL	Controlled Substance License
EC ₅₀	Half Maximal Effective Concentration - concentration of a material in water, a single dose which is expected to cause a biological effect on 50% of a group of test species.
EPA	New Zealand Environmental Protection Authority
ErC ₅₀	The concentration of a test substance which results in a 50% reduction in growth rate relative to the control within 72 hours exposure. Regarded as an acute endpoint.
EbC ₅₀	The concentration of test substance which results in a 50% reduction in biomass growth relative to the control within 72 hours exposure. Regarded as acute endpoint.
GHS	Globally Harmonised System of Classification and Labeling of Chemicals
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters.
HSNO	Hazardous Substances and New Organisms
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC ₅₀	Lethal Concentration - median dose at which 50% of test animals die from inhalation
LD ₅₀	Lethal Dose - median dose at which 50% of test animals die from oral or skin exposure
NOAEL	No-observed-adverse-effect level
NOEC	No observed effect concentration. It is usually the highest test concentration at which no toxic effects are observed. It can also be regarded as chronic endpoint.
N.O.S.	Not otherwise specified
ppm	part(s) per million
ppb	part(s) per billion
SDS	Safety Data Sheet
TEL	Tolerable Exposure Limits
UN	United Nations
US EPA	United States Environmental Protection Agency
WES	Workplace Exposure Standards

SAFETY DATA SHEET

Pic-Fume Chloropicrin

Key Literature References and Sources of Data:

- National Library of Medicine - PubChem - Hazardous Substance Data Base
- The International Uniform Chemical Information Database (IUCLID) – Organization for Economic Cooperation and Development (OECD)
- Manufacturer pesticide registration data for US EPA and for State of California
- Manufacturer studies on human response
- SDSs for Chloropicrin
- RTECS - Registry of Toxic Effects of Chemical Substances

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THE SUPPLIER OR MANUFACTURER TO OBTAIN ADDITIONAL INFORMATION.